

1/12

TEMPO® ULTRA WP INSECTICIDE

Version 5.0 / USA Revision Date: 09/19/2022 102000016285 Print Date: 09/20/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name TEMPO® ULTRA WP INSECTICIDE

Product code (UVP) 03545575

SDS Number 102000016285

EPA Registration No. 432-1304

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400

Cary, NC 27513

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral): Category 4
Carcinogenicity: Category 1B

Specific target organ toxicity - repeated exposure: Category 1

Labelling in accordance with regulation HCS 29CFR §1910.1200







TEMPO® ULTRA WP INSECTICIDE

Version 5.0 / USA Revision Date: 09/19/2022 102000016285 Print Date: 09/20/2022

Signal word: Danger

Hazard statements

Harmful if swallowed.

May cause cancer.

Causes damage to organs through prolonged or repeated exposure if inhaled.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

IF exposed or concerned: Get medical advice/ attention.

Get medical advice/ attention if you feel unwell.

Rinse mouth.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Beta-Cyfluthrin	1820573-27-0	10.0
Crystalline quartz (respirable)	14808-60-7	7.2
Reaction product of naphthalene, propan-2-ol, sulfonated and neutralized by caustic soda	1322-93-6	4.0
Sodium lignosulphonate	8061-51-6	4.0

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Take

off contaminated clothing and shoes immediately. Call a physician or

poison control center immediately.



TEMPO® ULTRA WP INSECTICIDE

Version 5.0 / USA Revision Date: 09/19/2022 102000016285 Print Date: 09/20/2022

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

> minutes. Remove contact lenses, if present, after the first 5 minutes. then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

In the event of fire and/or explosion do not breathe fumes. Firefighters equipment for firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point Not applicable **Auto-ignition temperature** No data available Lower explosion limit Not applicable **Upper explosion limit** Not applicable **Explosivity** No data available

Dust explosion class No data available



TEMPO® ULTRA WP INSECTICIDE

Version 5.0 / USA 102000016285

Revision Date: 09/19/2022 Print Date: 09/20/2022

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Avoid dust formation. Do not breathe dust. Isolate hazard area. Keep

unauthorized people away. Avoid contact with spilled product or

contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Sweep up or vacuum up spillage and collect in suitable container for

disposal. Clean contaminated floors and objects thoroughly,

observing environmental regulations. Contaminated soil may have to

be removed and disposed.

Additional advice If the product is accidentally spilled, do not allow to enter soil,

waterways or waste water canal. Use personal protective equipment.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation. Avoid dust

formation.

Wash hands thoroughly with soap and water after handling and before Hygiene measures

eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly

and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Protect from freezing. Keep away from direct sunlight.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children.

preferably in a locked storage area.

Advice on common storage Keep away from food, drink and animal feedingstuffs.



5/12

TEMPO® ULTRA WP INSECTICIDE

 Version 5.0 / USA
 Revision Date: 09/19/2022

 102000016285
 Print Date: 09/20/2022

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Beta-Cyfluthrin	1820573-27- 0	0.01 mg/m3 (TWA)		OES BCS*
Crystalline quartz (respirable)	14808-60-7	0.05 mg/m3 (TWA PEL)	10 2016	US CA OEL
(Respirable dust.)				
Crystalline quartz (respirable)	14808-60-7	0.1 mg/m3 (TWA)	2000	Z3
(Respirable.)				
Crystalline quartz (respirable)	14808-60-7	2.4millions of particles per cubic foot of air (TWA)	2000	Z3
(Respirable.)				
Crystalline quartz (respirable)	14808-60-7	0.050 mg/m3 (TWA)	01 2019	TN OEL
(Respirable dust.)				
Crystalline quartz (respirable)	14808-60-7	0.05 mg/m3 (TWA)	03 2016	OSHA
Crystalline quartz (respirable)	14808-60-7	0.025 mg/m3 (OSHA_ACT)	03 2016	OSHA
Crystalline quartz (respirable)	14808-60-7	0.05 mg/m3 (REL)	2016	NIOSH
(Respirable dust.)				
Crystalline quartz (respirable)	14808-60-7	0.05 mg/m3 (PEL)	03 2016	OSHA Z1
(Respirable dust.)				
Crystalline quartz (respirable)	14808-60-7	0.025 mg/m3 (TWA)	01 2022	ACGIH
(Respirable fraction.)				

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in



TEMPO® ULTRA WP INSECTICIDE

Version 5.0 / USA Revision Date: 09/19/2022 102000016285 Print Date: 09/20/2022

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form powder Colour tan

Odour characteristic **Odour Threshold** No data available pН No data available No data available

Melting point/range

Boiling Point

Not applicable

Flash point Not applicable **Flammability** No data available No data available **Auto-ignition temperature** Thermal decomposition No data available

Minimum ignition energy No data available Self-accelarating No data available

decomposition temperature

(SADT)

Upper explosion limit Not applicable Lower explosion limit Not applicable **Dust explosion class** No data available Vapour pressure No data available **Evaporation rate** Not applicable Relative vapour density No data available No data available Relative density



TEMPO® ULTRA WP INSECTICIDE

Version 5.0 / USA Revision Date: 09/19/2022 102000016285 Print Date: 09/20/2022

Density No data available

Bulk density 0.304 - 0.416 g/ml

Water solubility No data available

Partition coefficient: n-

octanol/water

Beta-Cyfluthrin: log Pow: 6.18 (22 °C)

Viscosity, dynamic

Viscosity, kinematic

Oxidizing properties

Explosivity

No data available

No data available

No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Bases, Methanol

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin contact, Inhalation, Ingestion

Immediate Effects

Eye May cause temporary eye irritation.Skin May be harmful in contact with skin.

Ingestion Harmful if swallowed.Inhalation May be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (male Rat) 3,084 mg/kg



TEMPO® ULTRA WP INSECTICIDE

Version 5.0 / USA Revision Date: 09/19/2022 102000016285 Print Date: 09/20/2022

LD50 (female Rat) 1,733 mg/kg

Acute inhalation toxicity LC50 (Rat) > 1.18 mg/l

Exposure time: 4 h

Determined in the form of dust. Highest attainable concentration.

Acute dermal toxicity LD50 (Rabbit) > 2,000 mg/kg

Skin corrosion/irritation Mild skin irritation. (Rabbit)

Serious eye damage/eye

irritation

Mild eye irritation. (Rabbit)

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity – single exposure

Beta-Cyfluthrin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

The toxic effects of Beta-Cyfluthrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.

Assessment mutagenicity

Beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Crystalline quartz (respirable) 14808-60-7 Group A2

NTP

Crystalline quartz (respirable) 14808-60-7

IARC

Crystalline quartz (respirable) 14808-60-7 Overall evaluation: 1

Assessment toxicity to reproduction

Beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Beta-Cyfluthrin is related to parental toxicity.

Assessment developmental toxicity

Beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Beta-Cyfluthrin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).



9/12

TEMPO® ULTRA WP INSECTICIDE

Version 5.0 / USA Revision Date: 09/19/2022 102000016285 Print Date: 09/20/2022

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.000068 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient beta-cyfluthrin.

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 0.00029 mg/l

invertebrates

Exposure time: 48 h

The value mentioned relates to the active ingredient beta-cyfluthrin.

Toxicity to aquatic plants EC50 (Desmodesmus subspicatus (green algae)) > 0.01 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient beta-cyfluthrin.

No acute toxicity was observed at its limit of water solubility.

Biodegradability Beta-Cyfluthrin:

Not rapidly biodegradable

Koc Beta-Cyfluthrin: Koc: 508 - 3179

Bioaccumulation Beta-Cyfluthrin: Bioconcentration factor (BCF) 506

Does not bioaccumulate.

Mobility in soil Beta-Cyfluthrin: Immobile in soil

Results of PBT and vPvB assessment

PBT and vPvB assessment Beta-Cyfluthrin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Follow advice on product label and/or leaflet.



TEMPO® ULTRA WP INSECTICIDE

Version 5.0 / USA Revision Date: 09/19/2022 102000016285 Print Date: 09/20/2022

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3077
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(BETA-CYFLUTHRIN MIXTURE)

IATA

UN number 3077
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(BETA-CYFLUTHRIN MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1304



TEMPO® ULTRA WP INSECTICIDE

Version 5.0 / USA Revision Date: 09/19/2022 102000016285 Print Date: 09/20/2022

US Federal Regulations

TSCA list

Fuller's earth 8031-18-3
Tributyl O-acetylcitrate 77-90-7
Crystalline quartz (respirable) 14808-60-7
Reaction product of naphthalene, propan-1322-93-6

2-ol, sulfonated and neutralized by caustic

soda

Sodium lignosulphonate 8061-51-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Yes

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Crystalline quartz (respirable) 14808-60-7 Carcinogenic.

US State Right-To-Know Ingredients

Beta-Cyfluthrin 1820573-27-0 NJ, RI Crystalline quartz (respirable) 14808-60-7 MN, RI

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.

Causes moderate eye irritation.



TEMPO® ULTRA WP INSECTICIDE

Version 5.0 / USA Revision Date: 09/19/2022 102000016285 Print Date: 09/20/2022

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 11: Toxicological Information. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 09/19/2022

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.